

# County and Flight Records for the Odonata of Connecticut

Updated 9 May 2007

<b>Odonata of Connecticut (148 Species)</b> (Blue = State Listed Species)  THOMAS & WAGNER (Updated 8 May 2007)	County Records								Number of Records	Earliest Record	Latest Record	April	May	June	July	August	Sept	Oct	Nov
	F	H	L	M	NH	NL	T	W											
<b>BROAD-WINGED DAMSELS (Family Calopterygidae)</b>																			
<b>River Jewelwing</b> ( <i>Calopteryx aequabilis</i> )	x	x	x	x	x	x	x	x	102	19-May	29-Jul		9	68	25				
<b>Superb Jewelwing</b> ( <i>Calopteryx amata</i> )		x	x						34	3-Jun	25-Aug			19	12	3			
<b>Sparkling Jewelwing</b> ( <i>Calopteryx dimidiata</i> ) ("SC")							x	x	7	30-Jun	18-Jul			1	6				
<b>Ebony Jewelwing</b> ( <i>Calopteryx maculata</i> )	x	x	x	x	x	x	x	x	402	13-May	18-Sep		22	175	156	41	8		
<b>American Rubyspot</b> ( <i>Hetaerina americana</i> ) ("SC")	x	x	x					x	15	23-Aug	21-Sep					5	10		
Sub-total species by county: family Calopterygidae: 5 species																			
<b>SPREADWINGS (Family Lestidae)</b>																			
<b>Great Spreadwing</b> ( <i>Archilestes grandis</i> )	x					x			15	13-Aug	4-Oct					4	10	1	
<b>Southern Spreadwing</b> ( <i>Lestes australis</i> )	x					x			3	7-May	21-May		3						
<b>Spotted Spreadwing</b> ( <i>Lestes congener</i> )	x	x	x	x	x	x	x	x	67	4-Jul	27-Oct				6	24	24	13	
<b>Northern Spreadwing</b> ( <i>Lestes disjunctus</i> )	x	x	x	x	x	x	x	x	44	23-May	16-Sep		3	3	17	18	3		
<b>Emerald Spreadwing</b> ( <i>Lestes dryas</i> )	x	x	x	x	x			x	26	31-May	14-Aug		1	9	12	4			
<b>Amber-winged Spreadwing</b> ( <i>Lestes eurinus</i> )	x		x	x	x	x	x	x	51	20-May	30-Jul		7	24	20				
<b>Sweetflag Spreadwing</b> ( <i>Lestes forcipatus</i> )	x	x	x	x	x	x	x	x	66	5-Jun	3-Oct			5	27	25	8	1	
<b>Elegant Spreadwing</b> ( <i>Lestes inaequalis</i> )	x	x	x	x	x	x	x	x	79	27-May	11-Aug		1	43	31	4			
<b>Slender Spreadwing</b> ( <i>Lestes rectangularis</i> )	x	x	x	x	x	x	x	x	228	22-May	4-Oct		5	36	93	69	19	6	
<b>Lyre-tipped Spreadwing</b> ( <i>Lestes unguiculatus</i> )	x	x				x	x		3	9-Jul	27-Jul				3				
<b>Swamp Spreadwing</b> ( <i>Lestes vigilax</i> )	x	x	x	x	x	x	x	x	138	28-May	8-Sep		3	28	71	32	4		
Sub-total species by county: family Lestidae: 11 species																			
<b>POND DAMSELS (Family Coenagrionidae)</b>																			
<b>Eastern Red Damselfly</b> ( <i>Amphiagrion saucium</i> )	x	x	x	x	x	x	x	x	52	9-May	20-Jul		18	25	9				
<b>Blue-fronted Dancer</b> ( <i>Argia apicalis</i> )	x	x	x	x	x	x	x	x	53	12-Jun	20-Sep			4	19	25	5		
<b>Violet Dancer</b> ( <i>Argia fumipennis violacea</i> )	x	x	x	x	x	x	x	x	201	19-May	20-Sep		3	48	95	43	12		
<b>Powdered Dancer</b> ( <i>Argia moesta</i> )	x	x	x	x	x	x	x	x	148	28-May	26-Sep		2	30	69	31	16		
<b>Dusky Dancer</b> ( <i>Argia translata</i> )	x		x	x	x				18	8-Jul	8-Sep				5	10	3		
<b>Aurora Damselfly</b> ( <i>Chromagrion conditum</i> )	x	x	x	x	x	x	x	x	140	6-May	21-Jul		63	64	13				
<b>Northern Bluet</b> ( <i>Enallagma annexum</i> )		x	x			x	x	x	50	20-May	30-Jul		7	33	10				
<b>Azure Bluet</b> ( <i>Enallagma aspersum</i> )	x	x	x	x	x	x	x	x	125	27-May	30-Sep		6	34	52	25	8		
<b>Double-striped Bluet</b> ( <i>Enallagma basidens</i> )	x					x			4	6-Aug	16-Sep					3	1		
<b>Boreal Bluet</b> ( <i>Enallagma boreale</i> )		x	x				x	x	33	12-May	15-Jun		19	14					
<b>Tule Bluet</b> ( <i>Enallagma carunculatum</i> )	x	x	x	x				x	28	7-Jun	29-Sep			8	8	8	4		
<b>Familiar Bluet</b> ( <i>Enallagma civile</i> )	x	x	x	x	x	x	x	x	152	19-May	18-Nov		5	29	44	31	35	7	1
<b>Turquoise Bluet</b> ( <i>Enallagma divagans</i> )	x			x	x	x	x	x	57	18-May	29-Jul		8	42	7				
<b>Atlantic Bluet</b> ( <i>Enallagma doubledayi</i> ) ("SC")							x		9	14-Jul	7-Aug				8	1			
<b>Big Bluet</b> ( <i>Enallagma durum</i> )	x	x		x	x	x	x		33	7-Jun	21-Sep			6	12	10	5		
<b>Marsh Bluet</b> ( <i>Enallagma ebrium</i> )	x	x	x	x	x	x	x	x	91	22-May	3-Aug		4	47	35	5			
<b>Stream Bluet</b> ( <i>Enallagma exsulans</i> )	x	x	x	x	x	x	x	x	104	31-May	3-Sep		1	29	53	20	1		
<b>Skimming Bluet</b> ( <i>Enallagma geminatum</i> )	x	x	x	x	x	x	x	x	156	19-May	4-Oct		6	41	69	31	7	2	
<b>Hagen's Bluet</b> ( <i>Enallagma hageni</i> )	x	x	x	x			x	x	74	20-May	2-Aug		1	39	32	2			
<b>New England Bluet</b> ( <i>Enallagma laterale</i> )		x	x	x			x	x	43	16-May	29-Jun		16	27					

## County and Flight Records for the Odonata of Connecticut

Updated 9 May 2007

<b>Odonata of Connecticut (148 Species)</b> (Blue = State Listed Species)  THOMAS & WAGNER (Updated 8 May 2007)	County Records								Number of Records	Earliest Record	Latest Record	April	May	June	July	August	Sept	Oct	Nov
	F	H	L	M	NH	NL	T	W											
<b>Little Bluet</b> ( <i>Enallagma minusculum</i> ) ("SC")				x		x	x		24	31-May	16-Aug		1	11	7	5			
<b>Scarlet Bluet</b> ( <i>Enallagma pictum</i> ) ("SC")							x	x	9	30-Jun	10-Aug			1	6	2			
<b>Orange Bluet</b> ( <i>Enallagma signatum</i> )	x	x	x	x	x	x	x	x	106	27-May	14-Sep		2	29	57	13	5		
<b>Slender Bluet</b> ( <i>Enallagma traviatum</i> )	x	x	x	x	x	x	x		43	16-Jun	29-Jul			8	35				
<b>Vesper Bluet</b> ( <i>Enallagma vesperum</i> )			x	x	x	x	x	x	32	13-Jun	5-Oct			11	15	4		2	
<b>Citrine Forktail</b> ( <i>Ischnura hastata</i> )	x	x		x	x	x			45	17-May	7-Oct		6	6	11	6	15	1	
<b>Lilypad Forktail</b> ( <i>Ischnura kellicotti</i> )			x	x	x	x	x	x	45	31-May	8-Sep		1	15	16	12	1		
<b>Fragile Forktail</b> ( <i>Ischnura posita</i> )	x	x	x	x	x	x	x	x	269	21-Apr	30-Sep	3	73	93	50	40	10		
<b>Furtive Forktail</b> ( <i>Ischnura prognata</i> )	x								1	28-May	28-May		1						
<b>Rambur's Forktail</b> ( <i>Ischnura ramburii</i> )	x				x	x			20	20-Jun	26-Sep			3	4	8	5		
<b>Eastern Forktail</b> ( <i>Ischnura verticalis</i> )	x	x	x	x	x	x	x	x	601	6-Apr	26-Oct	11	170	190	134	69	24	3	
<b>Sphagnum Sprite</b> ( <i>Nehalennia gracilis</i> )	x	x	x	x	x	x	x	x	62	23-May	25-Aug		6	22	31	3			
<b>Sedge Sprite</b> ( <i>Nehalennia irene</i> )	x	x	x	x	x	x	x	x	103	18-May	2-Aug		14	53	34	2			
Sub-total species by county: family Coenagrionidae: 33 species	25	23	24	26	25	29	26	23											
<b>DARNERS (Family Aeshnidae)</b>																			
<b>Canada Darner</b> ( <i>Aeshna canadensis</i> )	x	x	x	x	x		x	x	64	23-Jun	5-Oct			5	15	30	13	1	
<b>Mottled Darner</b> ( <i>Aeshna clepsydra</i> )	x		x	x	x	x	x	x	39	7-Jul	10-Oct				5	13	18	3	
<b>Lance-tipped Darner</b> ( <i>Aeshna constricta</i> )	x	x	x	x	x	x	x	x	43	27-Jun	4-Oct			1	7	26	8	1	
<b>Variable Darner</b> ( <i>Aeshna interrupta</i> )			x						4	12-Jul	2-Sep				2	1	1		
<b>Black-tipped Darner</b> ( <i>Aeshna tuberculifera</i> )	x	x	x	x	x	x	x	x	60	20-Jun	25-Oct			2	11	31	10	6	
<b>Shadow Darner</b> ( <i>Aeshna umbrosa</i> )	x	x	x	x	x	x	x	x	122	25-Jun	3-Nov			2	17	39	39	24	1
<b>Green-striped Darner</b> ( <i>Aeshna verticalis</i> )	x	x	x	x	x	x	x	x	61	5-Jul	16-Oct				15	21	21	4	
<b>Common Green Darner</b> ( <i>Anax junius</i> )	x	x	x	x	x	x	x	x	421	14-Apr	2-Dec	18	64	124	105	60	34	11	5
<b>Comet Darner</b> ( <i>Anax longipes</i> )				x	x	x			37	6-Jun	23-Aug			13	21	3			
<b>Springtime Darner</b> ( <i>Basiaeschna janata</i> )	x	x	x	x	x	x	x	x	102	17-Apr	27-Jun	4	46	52					
<b>Fawn Darner</b> ( <i>Boyeria vinosa</i> )	x	x	x	x	x	x	x	x	118	6-Jun	13-Oct			6	30	52	27	3	
<b>Swamp Darner</b> ( <i>Epiaeschna heros</i> )	x	x	x	x	x	x	x	x	62	21-May	14-Oct		4	25	20	9	2	2	
<b>Harlequin Darner</b> ( <i>Gomphaeschna furcillata</i> )	x	x	x	x	x	x	x	x	108	6-May	28-Jul		38	68	2				
<b>Cyrano Darner</b> ( <i>Nasiaeschna pentacantha</i> )	x	x	x	x		x	x	x	24	30-May	11-Jul		1	20	3				
<b>Spatterdock Darner</b> ( <i>Rhionaeschna mutata</i> )		x	x	x	x	x	x	x	60	23-May	19-Jul		5	47	8				
Sub-total species by county: family Aeshnidae: 15 species	12	12	14	14	13	13	13	13											
<b>CLUBTAILS (Family Gomphidae)</b>																			
<b>Lilypad Clubtail</b> ( <i>Arigomphus furcifer</i> )	x	x	x	x	x	x	x	x	59	23-May	26-Jul		10	41	8				
<b>Unicorn Clubtail</b> ( <i>Arigomphus villosipes</i> )	x	x	x	x	x	x	x	x	92	13-May	10-Aug		6	58	27	1			
<b>Black-shouldered Spinyleg</b> ( <i>Dromogomphus spinosus</i> )	x	x	x	x	x	x	x	x	87	13-Jun	3-Sep			20	40	23	4		
<b>Spine-crowned Clubtail</b> ( <i>Gomphus abbreviatus</i> )	x	x	x	x	x	x	x	x	20	5-Jun	2-Aug		1	15	2	2			
<b>Moustached Clubtail</b> ( <i>Gomphus adelphus</i> ) ("T")		x	x	x				x	19	23-May	9-Jul		1	12	6				
<b>Beaverpond Clubtail</b> ( <i>Gomphus borealis</i> )		x	x						16	29-May	24-Jun		3	13					
<b>Harpoon Clubtail</b> ( <i>Gomphus descriptus</i> ) ("T")		x	x						7	6-Jun	24-Jun			7					
<b>Lancet Clubtail</b> ( <i>Gomphus exilis</i> )	x	x	x	x	x	x	x	x	264	2-May	30-Jul		66	157	41				
<b>Midland Clubtail</b> ( <i>Gomphus fraternus</i> ) ("T")		x		x					24	28-May	24-Jul		1	16	7				

# County and Flight Records for the Odonata of Connecticut

Updated 9 May 2007

<b>Odonata of Connecticut (148 Species)</b> (Blue = State Listed Species)  THOMAS & WAGNER (Updated 8 May 2007)	County Records								Number of Records	Earliest Record	Latest Record	April	May	June	July	August	Sept	Oct	Nov
	F	H	L	M	NH	NL	T	W											
<b>Ashy Clubtail</b> ( <i>Gomphus lividus</i> )	x	x	x	x	x	x	x	x	119	12-May	13-Jul		27	82	10				
<b>Rapids Clubtail</b> ( <i>Gomphus quadricolor</i> ) ("T")		x	x						4	31-May	15-Jun		1	3					
<b>Dusky Clubtail</b> ( <i>Gomphus spicatus</i> )		x	x		x	x	x	x	51	12-May	27-Jul		17	31	3				
<b>Cobra Clubtail</b> ( <i>Gomphus vastus</i> ) ("SC")		x		x					9	31-May	10-Aug		1	6	1	1			
<b>Skillet Clubtail</b> ( <i>Gomphus ventricosus</i> ) ("SC")		x	x	x					7	1-Jun	10-Jul			3	4				
<b>Dragonhunter</b> ( <i>Hagenius brevistylus</i> )	x	x	x	x	x	x	x	x	71	7-Jun	29-Aug			19	40	12			
<b>Southern Pygmy Clubtail</b> ( <i>Lanthus vernalis</i> )		x	x	x	x	x	x	x	34	14-May	25-Jul		12	19	3				
<b>Brook Snaketail</b> ( <i>Ophiogomphus aspersus</i> )		x	x		x	x	x		60	25-May	30-Jul		6	36	18				
<b>Maine Snaketail</b> ( <i>Ophiogomphus mainensis</i> )	x	x	x	x	x	x	x	x	34	23-May	4-Jul		5	26	3				
<b>Rusty Snaketail</b> ( <i>Ophiogomphus rupinulensis</i> )	x	x	x			x	x	x	38	31-May	22-Aug		2	14	20	2			
<b>Common Sanddragon</b> ( <i>Progomphus obscurus</i> ) ("SC")						x			5	3-Jul	29-Jul				5				
<b>Eastern Least Clubtail</b> ( <i>Stylogomphus albistylus</i> )	x	x	x	x	x	x	x	x	89	2-Jun	17-Aug		4	26	52	7			
<b>Riverine Clubtail</b> ( <i>Stylurus amnicola</i> ) ("T")		x		x					13	21-Jun	31-Jul			6	7				
<b>Zebra Clubtail</b> ( <i>Stylurus scudderii</i> )		x	x		x				21	13-Jul	21-Sep				2	12	7		
<b>Arrow Clubtail</b> ( <i>Stylurus spiniceps</i> )		x	x	x					31	23-Jun	2-Oct			1	10	11	8	1	
Sub-total species by county: family Gomphidae: 24 species	10	23	20	16	13	14	13	13											
<b>SPIKETAILS (Family Cordulegasteridae)</b>																			
<b>Delta-spotted Spiketail</b> ( <i>Cordulegaster diastatops</i> )	x	x	x	x	x	x	x	x	79	25-May	14-Jul		9	61	9				
<b>Tiger Spiketail</b> ( <i>Cordulegaster erronea</i> ) ("T")	x	x		x	x	x			14	8-Jun	31-Jul			6	8				
<b>Twin-spotted Spiketail</b> ( <i>Cordulegaster maculata</i> )	x	x	x	x	x	x	x	x	69	13-May	28-Jul		11	47	11				
<b>Arrowhead Spiketail</b> ( <i>Cordulegaster obliqua</i> )	x	x	x	x	x	x	x		51	23-May	19-Jul		3	43	5				
Sub-total species by county: family Cordulegasteridae: 4 species	4	4	3	4	4	4	3	2											
<b>CRUISERS (Family Macromiidae)</b>																			
<b>Stream Cruiser</b> ( <i>Didymops transversa</i> )	x	x	x	x	x	x	x	x	116	6-May	16-Jul		44	67	5				
<b>Illinois River Cruiser</b> ( <i>Macromia illinoensis</i> )	x	x	x	x	x	x	x	x	76	4-Jun	5-Sep			16	35	24	1		
Sub-total species by county: family Macromiidae: 2 species	2	2	2	2	2	2	2	2											
<b>EMERALDS (Family Corduliidae)</b>																			
<b>American Emerald</b> ( <i>Cordulia shurtleffii</i> )		x	x	x	x	x	x	x	88	16-May	31-Jul		17	62	9				
<b>Petite Emerald</b> ( <i>Dorocordulia lepida</i> )		x	x	x	x	x	x	x	45	30-May	26-Jul		3	26	16				
<b>Racket-tailed Emerald</b> ( <i>Dorocordulia libera</i> )	x	x	x	x	x	x	x	x	80	15-May	21-Jul		9	51	20				
<b>Beaverpond Baskettail</b> ( <i>Epiheca canis</i> )	x	x	x	x	x	x	x	x	67	4-May	29-Jun		40	27					
<b>Common Baskettail</b> ( <i>Epiheca cynosura</i> )	x	x	x	x	x	x	x	x	259	20-Apr	29-Jul	1	50	179	29				
<b>Prince Baskettail</b> ( <i>Epiheca princeps</i> )	x	x	x	x	x	x	x	x	103	7-Jun	30-Aug			45	47	11			
<b>Spiny Baskettail</b> ( <i>Epiheca spinigera</i> )		x	x		x	x			6	27-May	16-Jul		3	1	2				
<b>Uhler's Sundragon</b> ( <i>Helocordulia uhleri</i> )	x	x	x	x	x	x	x	x	32	1-May	27-Jun		19	13					
<b>Umber Shadowdragon</b> ( <i>Neurocordulia obsoleta</i> )				x					16	15-Jun	11-Jul			11	5				
<b>Stygian Shadowdragon</b> ( <i>Neurocordulia yamaskanensis</i> )		x	x	x					15	13-Jun	2-Jul			13	2				
<b>Ski-tipped Emerald</b> ( <i>Somatochlora elongata</i> ) ("SC")			x				x		10	24-Jun	20-Aug			2	3	5			
<b>Mocha Emerald</b> ( <i>Somatochlora linearis</i> )	x	x		x	x	x			15	28-Jun	14-Sep			2	7	4	2		
<b>Clamp-tipped Emerald</b> ( <i>Somatochlora tenebrosa</i> )	x	x	x	x	x	x	x	x	89	30-Jun	30-Sep			1	46	36	6		

## County and Flight Records for the Odonata of Connecticut

Updated 9 May 2007

<b>Odonata of Connecticut (148 Species)</b> (Blue = State Listed Species)  THOMAS & WAGNER (Updated 8 May 2007)	County Records								Number of Records	Earliest Record	Latest Record	April	May	June	July	August	Sept	Oct	Nov
	F	H	L	M	NH	NL	T	W											
<b>Brush-tipped Emerald</b> ( <i>Somatochlora walshii</i> )		x	x	x			x		26	16-Jun	30-Jul			8	18				
<b>Williamson's Emerald</b> ( <i>Somatochlora williamsoni</i> )		x	x	x	x	x			12	6-Jul	12-Sep				7	4	1		
<b>Ringed Boghaunter</b> ( <i>Williamsonia lintneri</i> ) ("E")						x	x	x	34	7-May	10-Jun		30	4					
Sub-total species by county: family Corduliidae: 16 species	7	13	13	13	11	12	11	9											
<b>SKIMMERS (Family Libellulidae)</b>																			
<b>Calico Pennant</b> ( <i>Celithemis elisa</i> )	x	x	x	x	x	x	x	x	222	27-May	9-Sep		4	87	105	23	3		
<b>Halloween Pennant</b> ( <i>Celithemis eponina</i> )	x	x	x	x	x	x	x	x	128	15-Jun	18-Sep			19	86	20	3		
<b>Banded Pennant</b> ( <i>Celithemis fasciata</i> )	x		x	x	x	x		x	34	10-Jun	19-Aug			9	19	6			
<b>Martha's Pennant</b> ( <i>Celithemis martha</i> )				x	x	x		x	26	27-Jun	11-Sep			1	13	11	1		
<b>Eastern Pondhawk</b> ( <i>Erythemis simplicicollis simplicicollis</i> )	x	x	x	x	x	x	x	x	257	19-May	10-Oct		9	72	143	24	8	1	
<b>Seaside Dragonlet</b> ( <i>Erythrodiplax berenice</i> )	x			x	x	x			71	4-Jun	20-Sep			20	34	16	1		
<b>Blue Corporal</b> ( <i>Ladona deplanata</i> ) ("SC")					x	x			18	15-May	15-Jul		6	9	3				
<b>White Corporal</b> ( <i>Ladona exusta</i> )		x		x	x	x		x	114	7-May	26-Jul		47	54	13				
<b>Chalk-fronted Corporal</b> ( <i>Ladona julia</i> )	x	x	x	x	x	x	x	x	121	13-May	10-Aug		32	66	22	1			
<b>Frosted Whiteface</b> ( <i>Leucorrhinia frigida</i> )		x	x	x	x	x	x	x	102	4-May	10-Aug		20	43	34	5			
<b>Crimson-ringed Whiteface</b> ( <i>Leucorrhinia glacialis</i> ) ("T")		x	x		x				33	27-May	2-Aug		3	12	17	1			
<b>Hudsonian Whiteface</b> ( <i>Leucorrhinia hudsonica</i> )		x	x	x	x	x	x	x	76	6-May	11-Jul		49	24	3				
<b>Dot-tailed Whiteface</b> ( <i>Leucorrhinia intacta</i> )	x	x	x	x	x	x	x	x	248	4-May	27-Jul		83	131	34				
<b>Belted Whiteface</b> ( <i>Leucorrhinia proxima</i> )		x	x		x		x	x	24	26-May	20-Jul		2	12	10				
<b>Golden-winged Skimmer</b> ( <i>Libellula auripennis</i> )	x								1	23-Jul	23-Jul				1				
<b>Bar-winged Skimmer</b> ( <i>Libellula axilena</i> )				x	x	x			18	3-Jul	10-Aug				14	4			
<b>Spangled Skimmer</b> ( <i>Libellula cyanea</i> )	x	x	x	x	x	x	x	x	212	19-May	30-Aug		16	115	67	14			
<b>Slaty Skimmer</b> ( <i>Libellula incesta</i> )	x	x	x	x	x	x	x	x	256	16-May	3-Oct		4	64	128	46	12	2	
<b>Widow Skimmer</b> ( <i>Libellula luctuosa</i> )	x	x	x	x	x	x	x	x	339	20-May	16-Sep		12	116	168	38	5		
<b>Needham's Skimmer</b> ( <i>Libellula needhami</i> )	x			x	x	x			49	6-Jun	7-Sep			9	23	13	4		
<b>Twelve-spotted Skimmer</b> ( <i>Libellula pulchella</i> )	x	x	x	x	x	x	x	x	237	14-May	7-Oct		12	83	95	38	8	1	
<b>Four-spotted Skimmer</b> ( <i>Libellula quadrimaculata</i> )	x	x	x	x	x	x	x	x	107	4-May	14-Jul		36	59	12				
<b>Painted Skimmer</b> ( <i>Libellula semifasciata</i> )	x	x	x	x	x	x	x	x	123	9-May	26-Aug		37	53	30	3			
<b>Great Blue Skimmer</b> ( <i>Libellula vibrans</i> )	x			x	x	x		x	87	31-May	1-Oct		1	26	25	24	10	1	
<b>Elfin Skimmer</b> ( <i>Nannothemis bella</i> )		x	x	x	x	x	x	x	36	19-May	10-Aug		10	9	16	1			
<b>Blue Dasher</b> ( <i>Pachydiplax longipennis</i> )	x	x	x	x	x	x	x	x	345	20-May	5-Oct		6	87	186	45	19	2	
<b>Wandering Glider</b> ( <i>Pantala flavescens</i> )	x	x	x	x	x	x	x	x	65	12-May	22-Oct		4	4	11	28	14	4	
<b>Spot-winged Glider</b> ( <i>Pantala hymenaea</i> )	x	x	x	x	x	x	x	x	81	11-May	30-Sep		16	22	27	7	9		
<b>Eastern Amberwing</b> ( <i>Perithemis tenera</i> )	x	x	x	x	x	x	x	x	144	7-Jun	14-Oct			17	79	34	13	1	
<b>Common Whitetail</b> ( <i>Plathemis lydia</i> )	x	x	x	x	x	x	x	x	371	21-Apr	27-Sep	1	62	164	108	27	9		
<b>Variegated Meadowhawk</b> ( <i>Sympetrum corruptum</i> )				x	x				3	10-Jun	22-Oct			1	1			1	
<b>Saffron-winged Meadowhawk</b> ( <i>Sympetrum costiferum</i> )			x		x	x		x	7	15-Jul	26-Sep				3	2	2		
<b>Cherry-faced Meadowhawk</b> ( <i>Sympetrum internum</i> )	x	x	x	x	x	x	x	x	403	31-May	11-Nov		1	41	193	93	54	19	2
<b>White-faced Meadowhawk</b> ( <i>Sympetrum obtusum</i> )					x	x			2	30-Aug	30-Aug					2			
<b>Band-winged Meadowhawk</b> ( <i>Sympetrum semicinctum</i> )	x	x	x	x	x	x	x		63	17-Jun	27-Oct			3	22	26	9	3	
<b>Autumn Meadowhawk</b> ( <i>Sympetrum vicinum</i> )	x	x	x	x	x	x	x	x	204	15-Jun	2-Dec			2	25	51	53	62	11

## County and Flight Records for the Odonata of Connecticut

Updated 9 May 2007

<b>Odonata of Connecticut (148 Species)</b> (Blue = State Listed Species)  THOMAS & WAGNER (Updated 8 May 2007)	County Records								Number of Records	Earliest Record	Latest Record	April	May	June	July	August	Sept	Oct	Nov
	F	H	L	M	NH	NL	T	W											
<b>Carolina Saddlebags</b> ( <i>Tramea carolina</i> )	x	x		x	x	x			54	17-May	30-Sep		12	18	13	4	7		
<b>Black Saddlebags</b> ( <i>Tramea lacerata</i> )	x	x	x	x	x	x	x		124	28-May	22-Oct		3	27	46	22	20	6	
Sub-total species by county: family Libellulidae: 38 species	26	27	27	32	37	34	24	27											
<b>Total County Records</b>	<b>100</b>	<b>116</b>	<b>115</b>	<b>117</b>	<b>118</b>	<b>119</b>	<b>102</b>	<b>101</b>	<b>12,817</b>			<b>38</b>	<b>1,533</b>	<b>4,513</b>	<b>4,102</b>	<b>1,707</b>	<b>709</b>	<b>195</b>	<b>20</b>